		1 0 0 4(-)
	Application No.	Applicant(s)
Notice of Allowability	09/941,748	TAKEO ET AL.
	Examiner	Art Unit
	Craig W. Kronenthal	2623
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in the or other appropriate communing GHTS. This application is sub-	his application. If not included ication will be mailed in due course. THIS
1. X This communication is responsive to Amendment filed 3/22	<u>2/2005</u> .	
2. 🔀 The allowed claim(s) is/are <u>1-18</u> .		
3. ☑ Acknowledgment is made of a claim for foreign priority un a) ☑ All b) ☐ Some* c) ☐ None of the:		(f) .
 M Certified copies of the priority documents have 		
2. Certified copies of the priority documents have		
3. Copies of the certified copies of the priority doc	cuments have been received i	n this national stage application from the
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		reply complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS (as "replacement sheets") mus	t be submitted.	
(a) ☐ including changes required by the Notice of Draftspers	on's Patent Drawing Review (PTO-948) attached
1) ☐ hereto or 2) ☐ to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in	n the Office action of
Identifying indicia such as the application number (see 37 CFR 1, each sheet. Replacement sheet(s) should be labeled as such in the	.84(c)) should be written on the he header according to 37 CFR	drawings in the front (not the back) of 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT		
Attachment(s)	E □ Notice of Info	rmal Patent Application (PTO 152)
 Notice of References Cited (PTO-892) Dotice of Draftperson's Patent Drawing Review (PTO-948) 	5. ☐ Notice of Info	rmal Patent Application (PTO-152)
2. Notice of Brancherson's Patent Brawing Review (P10-940)	Paper No./M	ail Date
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 		mendment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's S	tatement of Reasons for Allowance
o. Diological Material	9. 🔲 Other	
		PRIMARY FYAMINER
	,/0	

Application/Control Number: 09/941,748

Art Unit: 2623

DETAILED ACTION

Page 2

Response to Amendment

1. Applicant's amendment filed March 22, 2005, has been entered and made of record.

Response to Arguments

2. Applicant's arguments filed March 22, 2205, with respect to claims 1-11 have been

fully considered and are persuasive. The rejection of claims 1-11 has been withdrawn.

EXAMINER'S AMENDMENT

3. An examiner's amendment to the record appears below. Should the changes and/or

additions be unacceptable to applicant, an amendment may be filed as provided by 37

CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no

later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview

with Stuart Lee on behalf of Susan Pan on September 13, 2005.

The application has been amended as follows:

On line one of claims 16 and 17, please replace "claim 1" with - - claim 3 - -.

Allowable Subject Matter

4. Claims 1-18 are allowed.

5. The following is a statement of reasons for the indication of allowable subject matter:

The prior art does not disclose "setting as the value of the detection parameter a

Application/Control Number: 09/941,748 Page 3

Art Unit: 2623

threshold value obtained by performing an image quality evaluation based on the phantom-image data outputted by the output means," as recited in claim 1. The relationship between the detection parameter and the output of the image quality evaluation as cited in the claims in combination with the other limitations of the claims, are neither disclosed nor suggested by the prior art of record. Typically, the prior art teaches the use of phantom images to calibrate x-ray systems. While the prior art does teach using the calibrated systems to detect abnormalities, such as anomalous shadows, the prior art falls short of disclosing obtaining a value based on the phantom image and using that value as a threshold for detection.

- 6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
 - Galikin (PN 5,544,238) is cited for teaching the use of phantom images to assess
 x-ray image quality.
 - Gupta et al. (PN 6,370,480) is cited for teaching the determination of quantitative image quality indices, which indicate the accuracy of the test image relative to a pre-established standard.
 - Farrokhnia et al. (PN 6,694,047) is cited for teaching the use of a phantom image in automatically evaluating a x-ray system.
 - Wentz (PN 5,095499) is cited for teaching using a phantom image with a step wedge producing varying intensities, so a radiologist may determine the quality of an x-ray beam.

Page 4

Art Unit: 2623

 Nakajima (PN 5,583,346) is cited for teaching the use of a predetermined threshold for detecting prospective abnormalities.

7. In view of the amended claims and the Applicant's arguments, the rejections and objections to claims 1-11 are expressly withdrawn.

Conclusion

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Craig W. Kronenthal whose telephone number is (571) 272-7422. The examiner can normally be reached on 8:00 am - 5:00 pm / Mon. - Fri...

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jingge Wu can be reached on (571) 272-7429. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JINZGEWU

09/14/05 CWK